L Number	r Hits	Search Text	DB	Time stamp	
5	1	danger same indicator same motor same	USPAT;	2003/03/06 1	17:33
		vibration	US-PGPUB;		
			EPO; JPO;		
6	7	danger come de disease à	DERWENT		
O	1 '	danger same indicat\$3 same motor same	USPAT;	2003/03/06 1	17:45
		VIDIACION	US-PGPUB;		
			EPO; JPO;		
7	1	danger same indicator same motor same	DERWENT	0000 (00 (00 )	
		vibrat\$3	USPAT; US-PGPUB;	2003/03/06 1	.7:40
	ŀ		EPO; JPO;		
_			DERWENT		
8	7	admig that cards same motor same	USPAT;	2003/03/06 1	7.17
		vibrat\$3	US-PGPUB;	2003/03/00 1	. / . 4 /
			EPO; JPO;		
•			DERWENT		
9	11		USPAT;	2003/03/06 1	7:51
		motor same vibrat\$3	US-PGPUB;		
			EPO; JPO;		
_	2	12	DERWENT		
	2	1 (MADADADAD WICH ALCA WICH WALLIING WILL	USPAT;	2003/03/06 1	7:32
		system) and receiver and direction and	US-PGPUB;		
		(indicate or indication) and level	EPO; JPO;		
_	6	("4100529"   "5047752"   "5086290"	DERWENT		
		"5198800"   "5477210"   "5575242").PN.	USPAT	2003/02/28 1	2:11
_	24	hazardous with area with warning with			
		system	USPAT;	2003/02/28 1	2:44
		o you com	US-PGPUB;		
			EPO; JPO; DERWENT		
-	6	(hazardous with area with warning with	USPAT;	2003/03/05 1	c = 0
		system) and receiver and direction	US-PGPUB;	2003/03/05 1	6:52
		y same and allegation	EPO; JPO;		
			DERWENT		
_	1	((hazardous with area with warning with	USPAT;	2003/02/27 1:	3.50
		system) and receiver and direction ) and	US-PGPUB;	2003/02/2/ 1.	3.39
		(attendant with hazard)	EPO; JPO;		
			DERWENT		
-	_ 1		USPAT;	2003/02/28 12	2:07
		encoded same signal same safety same	US-PGPUB;		
		decod\$3	EPO; JPO;		
			DERWENT		
_	1	(adda milen recerver) banke encoded banke	USPAT;	2003/02/28 12	2:07
		signal same safety same decod\$3	US-PGPUB;	}	
			EPO; JPO;		
_	1571	(data with receiver) same encoded same.	DERWENT	0000 (00 (55	
	13/1	signal same decod\$3	USPAT;	2003/02/28 12	2:08
		July Julie Georgy	US-PGPUB;		
			EPO; JPO; DERWENT		
-	2	((data with receiver) same encoded same	USPAT;	2003/02/02 17	7.22
	1	signal same decod\$3) and (indicator with	US-PGPUB;	2003/03/03 17	1:23
		safety with condition)	EPO; JPO;		
			DERWENT		
_	0	(("4100529"   "5047752"   "5086290"	USPAT	2003/03/05 18	2 • 1 4
		"5198800"   "5477210"   "5575242").PN.)		2003/03/03 18	.14
		and ((data with receiver) same encoded			
		same signal same decod\$3)			
	1 1	((data with receiver) same encoded same	USPAT;	2003/02/28 12	2:12
-	7	( data with receiver) same encoded same		, / 1	
_	7	signal same decod\$3) and (safety with			
-	7	signal same decod\$3) and (safety with condition)	US-PGPUB; EPO; JPO;		
	·	signal same decod\$3) and (safety with condition)	US-PGPUB; EPO; JPO; DERWENT		
-	·	signal same decod\$3) and (safety with condition)  (hazardous with area with warning with	US-PGPUB; EPO; JPO;	2003/02/28 12	2:27
_	·	signal same decod\$3) and (safety with condition)  (hazardous with area with warning with system) and (X with direction) and (y with	US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB;		2:27
-	·	signal same decod\$3) and (safety with condition)  (hazardous with area with warning with	US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO;		2:27
-	0	signal same decod\$3) and (safety with condition)  (hazardous with area with warning with system) and (X with direction) and (y with direction)	US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT		2:27
-	0	signal same decod\$3) and (safety with condition)  (hazardous with area with warning with system) and (X with direction) and (y with direction) and (z with direction)  (receiver same antenna same direction)	US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT;		
-	0	signal same decod\$3) and (safety with condition)  (hazardous with area with warning with system) and (X with direction) and (y with direction) and (z with direction)  (receiver same antenna same direction) and adder and encoder and transmitter and	US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB;	2003/02/28 12	
-	0	signal same decod\$3) and (safety with condition)  (hazardous with area with warning with system) and (X with direction) and (y with direction) and (z with direction)  (receiver same antenna same direction)	US-PGPUB; EPO; JPO; DERWENT USPAT; US-PGPUB; EPO; JPO; DERWENT USPAT;	2003/02/28 12	

	1 44			
-	44	1 ( table miles received) banke encoded same	USPAT;	2003/03/03 17:25
		signal same decod\$3) and (indicator with	US-PGPUB;	
Ì		light)	EPO; JPO;	
1_	0	//    4100500	DERWENT	
1-	0	1 11 11 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0	USPAT	2003/03/03 17:27
		"5198800"   "5477210"   "5575242").PN.)		
_	0	and (green with light) (("4100529"   "5047752"   "5086290"		
	1	"5100000"   "54777210"   "5086290"	USPAT	2003/03/03 17:27
		"5198800"   "5477210"   "5575242").PN.) and green		
_	2			
	2	and adder and encoder and transmitter and	USPAT;	2003/03/03 17:39
		hazard and comparator	US-PGPUB;	
		Muzura and Comparator	EPO; JPO;	
-	490	(receiver same antenna) and (x with	DERWENT	2002/02/05 15 55
		direction) and (y with direction) and (z	USPAT; US-PGPUB;	2003/03/05 17:56
		with direction)	EPO; JPO;	1
		,	DERWENT	1
-	34	((receiver same antenna) and (x with	USPAT;	2003/03/03 17:41
		direction) and (y with direction) and (z	US-PGPUB;	2003/03/03 17:41
		with direction)) and transmitter and	EPO; JPO;	
		encode\$2 and decode\$2	DERWENT	
-	21	The state of the s	USPAT;	2003/03/03 17:43
		direction) and (y with direction) and (z	US-PGPUB;	
		with direction)) and transmitter and	EPO; JPO;	
	1	encode\$2 and decode\$2) and indicator	DERWENT	
-	12	1 ( ( ( = + + + + + + + + + + + + + + + +	USPAT;	2003/03/05 17:38
		direction) and (y with direction) and (z	US-PGPUB;	
		with direction)) and transmitter and encode\$2 and decode\$2) and indicator) and	EPO; JPO;	ļ
		hazard	DERWENT	
_	6		HCDAM.	2002/02/02 10 01
ļ		with loop with wire)	USPAT;	2003/03/03 18:04
		, when roop wrent wile,	US-PGPUB; EPO; JPO;	
			DERWENT	
-	1	(transmitter same antenna same (ferrite	USPAT;	2003/03/03 18:04
	1	with loop with wire)) and (warning with	US-PGPUB;	2003/03/03 18:04
		transmitter)	EPO; JPO;	
			DERWENT	
-	1		USPAT;	2003/03/03 18:05
į		with loop with wire)) and oscillator and buffer	US-PGPUB;	
		Duller	EPO; JPO;	
_	4	(hazardous with area with warning with	DERWENT	
	-	system) and receiver and transmitter and	USPAT;	2003/03/04 17:38
		(encode\$2 or decode\$2) and (indicator or	US-PGPUB; EPO; JPO;	
		light) and data	DERWENT	
-	5	(hazardous with area with warning with	USPAT;	2003/03/04 18:09
		system) and receiver and (direction\$3 with	US-PGPUB;	2003/03/04 10:05
		signal)	EPO; JPO;	
_	ا ـ	/700/0	DERWENT	
-	5	(702/\$.ccls. or 340/\$.ccls.) and	USPAT;	2003/03/04 18:11
		(hazardous with area with warning with	US-PGPUB;	
1		system) and receiver and transmitter and (encode\$2 or decode\$2)	EPO; JPO;	
-	2	4849735.pn.	DERWENT	0000 /00 /05
	-	4049733.pm.	USPAT;	2003/03/05 15:25
			US-PGPUB;	
			EPO; JPO; DERWENT	
-	0	4849735.pn. and indicator	USPAT;	2003/03/05 15:26
1		•	US-PGPUB;	2003/03/03 13:26
			EPO; JPO;	The state of the s
	]		DERWENT	
-	1	4849735.pn. and indicat\$3	USPAT;	2003/03/05 15:26
			US-PGPUB;	
] [			EPO; JPO;	
_	1	(indicator with indicating with safety	DERWENT	0000 40-4
1	1	with condition) and (danger with zone with	USPAT;	2003/03/05 16:38
		indicator) and (caution with indicator)	US-PGPUB; EPO; JPO;	
		and (normal with indicator)	DERWENT	
			2717A471A1	

1 -	1	The transfer when bone when indicatory and	USPAT;	2003/03/05 16:40
		(caution with indicator) and (normal with	US-PGPUB;	
		indicator)	EPO; JPO;	
			DERWENT	
-	1	The state of the s	USPAT;	2003/03/05 16:42
		(caution with indicat\$3) and (normal with	US-PGPUB;	
ļ		indicat\$3)	EPO; JPO;	
			DERWENT	
-	55	(danger same indicat\$3) and (caution same	USPAT;	2003/03/05 16:42
		indicat\$3) and (normal same indicat\$3)	US-PGPUB;	2003/03/03 10:42
		,	EPO; JPO;	
			DERWENT	
-	1	( (danger same indicat\$3) and (caution	USPAT;	2003/03/05 16:45
		same indicat\$3) and (normal same	US-PGPUB;	2003/03/03 16:45
		indicat\$3)) and (hazardous with area with	EPO; JPO;	
		warning)	DERWENT	
-	1	,	USPAT;	2002/02/06 14 00
		(indicator same red same yellow same green	US-PGPUB;	2003/03/06 14:22
		same light)		1
		Jame Highe)	EPO; JPO;	
-	2	(hazardous with area with warning with	DERWENT	
	_	system) and (yellow with light)	USPAT;	2003/03/05 16:53
		System, and (yellow with light)	US-PGPUB;	
			EPO; JPO;	
_	5	/702/6 0010 00 240/0 011	DERWENT	
			USPAT;	2003/03/05 17:54
		with direction with signal) and (adder	US-PGPUB;	
		with combin\$3 with signal) and (compar\$3	EPO; JPO;	
		with signal)	DERWENT	
_	0		USPAT;	2003/03/05 17:55
	1	with dimension\$3 with signal) and (adder	US-PGPUB;	
		with combin\$3 with signal) and (compar\$3	EPO; JPO;	
		with signal)	DERWENT	1
_	71	( = = = = = = = = = = = = = = = = = =	USPAT;	2003/03/05 17:58
		direction with signal) and (y with	US-PGPUB;	
		direction with signal) and (z with	EPO; JPO;	
		direction with signal)	DERWENT	
-	0	i (120001101 bame anceima) and (x with	USPAT;	2003/03/05 17:58
		direction with signal) and (y with	US-PGPUB;	2000,00,00 17.50
		direction with signal) and (z with	EPO; JPO;	
		direction with signal)) and (adder with	DERWENT	l i
		combin\$3 with signal) and (compar\$3 with		
		signal)		
-	4	((receiver same antenna) and (x with	USPAT;	2003/03/05 17:59
		direction with signal) and (y with	US-PGPUB;	2003/03/03 17.33
		direction with signal) and (z with	EPO; JPO;	
		direction with signal)) and adder and	DERWENT	
		(compar\$3 with signal)	DERWERT	
-	0	(("4100529"   "5047752"   "5086290"	USPAT	2003/03/05 18:14
		"5198800"   "5477210"   "5575242").PN.)	OSTAT	2003/03/03 18:14
		and adder and (compar\$3 with signal)		1
-	0	(("4100529"   "5047752"   "5086290"	USPAT	2003/03/05 18:21
	1	"5198800"   "5477210"   "5575242").PN.)	001111	2003/03/03 18:21
		and adder and (compar\$6 with signal)		
_	0	(receiver same (three with directional)	TICDATE	2002/02/05 20 05
1	1	same (directional with antenna)) and	USPAT	2003/03/05 18:25
		(ferrite with rod)		
_	34	(receiver same (three with directional)		0000455455
1	31	same (directional with antenna)) and	USPAT;	2003/03/05 18:27
1		combin\$6 with signal)	US-PGPUB;	
		(COMDITING WICH SIGNAL)	EPO; JPO;	
_	21	(receiver same (three with at at	DERWENT	
	41	(receiver same (three with directional)	USPAT;	2003/03/05 18:28
1		same (directional with antenna)) and	US-PGPUB;	
	ļ	(combin\$6 with signal with receiv\$3)	EPO; JPO;	
_	4	//receiver come //hans	DERWENT	
	4	((receiver same (three with directional)	USPAT;	2003/03/05 18:28
		same (directional with antenna)) and	US-PGPUB;	
		(combin\$6 with signal with receiv\$3)) and	EPO; JPO;	i i
L	L	amplifier and filter and detector	DERWENT	

SPAT;	20
S-PGPHB.	

-	1	(hazardous with area with warning) and (vibrat\$3 with tactile)	USPAT;	2003/03/06 14:24
		(VIDIACOS WICH CACCITE)	US-PGPUB; EPO; JPO;	
_	1	/hagandana with anna with	DERWENT	
	T	(hazardous with area with warning) and (vibrat\$3 with danger)	USPAT;	2003/03/06 15:14
		transfer mass danger,	US-PGPUB; EPO; JPO;	
_	1	wiharto2	DERWENT	
	1	vibrat\$3 same tactile same indication same danger	USPAT; US-PGPUB;	2003/03/06 15:15
			EPO; JPO;	
_	3	wihratea came tactile area into the	DERWENT	
	5	vibrat\$3 same tactile same indicat\$3 same danger	USPAT; US-PGPUB;	2003/03/06 15:16
]			EPO; JPO;	
			DERWENT	

Search History 3/6/03 6:42:08 PM Page 4 C:\APPS\EAST\Workspaces\10045741.wsp \